

GLIDRS300 WIRELESS MOUSE



Ba11



User Manual

Designed For Excellence.

www.iball.co.in

Thank you for choosing **iBall Glidr S300 Wireless Mouse**. Please read the user manual carefully before operation and save this user manual for further reference.

Note :

- *Please charge the product with power adapter output rated voltages DC 5V*
- *Avoid self-disassembly of the Keyboard, Kindly approach our service team with reference to the following link for service support :*

Warranty Policy

Features :

- Smart Status Display
- 2.4GHz & 2 BT Modes
- 3200 DPI Switchable
- 4-Level DPI Shift
- 6-Button Control
- Auto Sleep Mode
- High Precision
- Type-C Charging
- Built-In Rechargeable Battery


Specification :

| | |
|-------------------|--------------------------------------|
| Connectivity | : 2.4GHz + 2 x BT |
| Resolution | : 800 1600 2400 3200 DPI |
| Sensor | : Optical |
| No. of Buttons | : 6 |
| Button Life | : 3 Million Cycles |
| Wireless Range | : 10 meter (Without Obstacles) |
| Product Dimension | : 7.1 x 10.5 x 4.5 cm (W x D x H) |
| Net Weight | : 75g |

Package Contents :

| | |
|-----------------------|-------|
| Mouse | : 1 U |
| USB Nano Receiver | : 1 U |
| Type C to USB A Cable | : 1 U |
| QR Code Guide | : 1 U |

Product Description :



Connectivity Procedure

2.4 GHz Wireless Mode:

Step 1 : Plug the Nano receiver into the PC.

Step 2 : On the rear of the mouse, press the mode switch to enter into the 2.4 GHz mode.

Step 3 : On the LED display, the 2.4 GHz indicator will blink until pairing is completed. Once paired, the 2.4 GHz indicator will remain steadily lit.

BT Mode:

Step 1 : On the rear side of the mouse, press the mode button to enter BT mode. Now press and hold the mode button for 3 secs to enter BT discovery.

Step 2 : Open the BT menu on your BT device and search for the BT name "iBall BT 1" for BT1 & "iBall BT 2" for BT2.

Step 3 : On the LED display, the BT1 or BT2 indicator will blink until pairing is completed. Once paired, BT1 or BT2 the indicator will remain steadily lit.

Charging:

Connect the mouse using a Type-C charger. While charging, the LED display will show "CH".

Note : The LED display indicates battery percentage, DPI levels and Modes.



ISO 9001:2015 Certified Company
Since 2001 | www.iball.co.in