



User Manual

www.zebronics.com

Thank you for purchasing the **ZEB-ENERGIPOD 27R2** Power bank. Please read this user manual carefully before operation and save it for future reference.

#### Note:

- Avoid the usage of this product at high-temperature and high-humidity environments.
- Avoid the self-disassembling of the product or it will result invoiding the Product's warranty.
- Please charge the product with a power adapter output rated Type-C (DC 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A).

**Caution:** There is a risk of explosion if the product is disposed in the fire.

To know more about Terms and conditions for warranty policy, please visit

https://zebronics.com/pages/warranty-policy

#### Features:

Dual Type-C and Single USB-A Output Rapid Charge
LED Indicator
Mobile / Tablet / Laptop Compatible
PD 3.0 Type C Input & Output Ports
Over Charge Protection
Overload Protection
Short Circuit Protection
65W(Max.) Output
Metal Body

## **Specifications:**

Battery Capacity : 27000mAh

Type C Input : DC 5V/3A, 9V/3A,

12V/3A, 15V/3A,

20V/3.25A

Output 1 & 2 (Type C): DC 5V/3A, 9V/3A,

12V/3A, 15V/3A,

20V/3.25A, 5~21V/2.9A

Output 3 (USB) : DC 5.5V/4A, 5V/3A,

9V/2.22A, 12V/1.67A (65W Max. Output)

No. of Output Port : 1 USB-A +

2 Type C PD 3.0

Charging Time : Approx. 4h

Product Dimension :  $6.8 \times 3.9 \times 14.7 \text{ cm}$ 


 $(W \times D \times H)$ 

Net Weight : 582g

#### **Package Contents:**


Power Bank : 1 U Charging Cable : 1 U QR Code Guide : 1 U

# Product Description :




## Charging the Power Bank:

• Connect the Type C end of the charging cable to the power bank and the USB end to the charger or adapter with a Type C (DC 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A) cable.



# Charging your Device with the Power Bank:



Output Port USB / Type C x 2

Device with Type-C / Micro USB Lightning Support

• Connect the Type-C / Micro USB / Lightning connector end of the cable to your device and connect the other USB/Type-C end of the cable to the power bank output port.

ISO 9001:2015 Certified Company www.zebronics.com