

 ZEBRONICS

Smart LED Projector
PixaPlay[®] 25



User Manual

www.zebronics.com

Dear Customer,

Thank you for purchasing the **ZEB-Pixaplay 25 Smart LED Projector**. Please read the user manual carefully before usage & save it for future reference.

Note:

- *To provide a stable power supply, kindly use the cable provided with the product and connect to a AC 100-240V, 50/60Hz power source.*
- *Avoid the self-disassembly of the product as it results in voiding of the product's warranty.*
- *Avoid looking directly at the projector lens while it is active.*
- *Make sure that the projector's air vents are not blocked while in use. The device must be kept in a well ventilated surrounding for proper functioning.*
- *It is recommended to power OFF the projector after a continuous usage of 6 hours maximum.*
- *Place the projector away from water or other liquids. Avoid water accumulation and ensure good ventilation.*
- *In case of enquiry regarding the projector, email us at enquiry@zebronics.com or contact us at 044 4000 0004.*

Features:

- Multi Connectivity (BT v5.1 | HDMI (ARC) | USB x 1 | AUX OUT)
- Home Theater Projectors for Movies, TV & Gaming, etc.
- Powerful Speaker
- Wide Compatibility
- Ceiling Mountable
- Remote Control
- Auto Focus
- Auto Keystone
- Auto Obstacle Detection
- Auto Screen Fit
- Miracast
- IOS Screen Mirroring
- Dual Band Connectivity (2.4GHz & 5GHz)
- FHD 1080p (Native)
- 30,000h Lifelong LED lamp
- APP Support
- Quad Core Processors

Specification:


Screen size	: 111 - 508cm
Native Resolution	: 1920 x 1080 FHD
Max. Supported Resolution	: 1080P (Max)
RAM	: 1 GB
Core Processor	: Quad Core Processors
Storage (ROM)	: 8 GB
Android Version	: 12
Display Technology	: LED

WI-Fi Connectivity	: Dual band Connectivity (2.4GHz & 5GHz)
Bluetooth Version	: v5.0
Lifespan	: 30,000h
Brightness	: 5500 lumens
Contrast ratio	: 1000:1
Projection Distance	: 1.5m - 5.9m
Port Interface	: HDMI (ARC) / USB x 1 / AUX OUT
Video file format	: AVI, MP4, MKV, WMV, MOV, FLV, 3G2, MPG, VOB, SWF, TS
Input Voltage	: AC 100V-240V, 50/60Hz
Product Dimension (W x D x H)	: 20 x 16.7 x 8 cm
Net. weight	: 1.11Kg

Package Contents:

Projector	: 1 U
Remote Control	: 1 U
Power Cord	: 1 U
Cotton Swab Pack	: 1 U
HDMI Cable	: 1 U
QR Code Guide	: 1 U

Product Description



HDMI

HDMI



USB

USB



Headphone




Power switch



Power input


Remote Control



Note : To avoid the battery leakage and corrosion, if the remote will not be in use for a long time, kindly remove the batteries.


Setting Up the Projector

1. Connect the power cord to the socket of the projector and turn it ON.
2. Before turning ON, make sure to place it in a flat surface for a proper projection then Press the power button / turn it on by using the remote.
3. Align the projector as shown in the image below to ensure proper projection.




Auto Focus:

Auto focus feature allows the device to automatically adjust the lens to ensure a sharp image on the screen. This is particularly useful in settings where the projector might be moved or where the distance to the screen can vary.







Auto Keystone:

Auto keystone correction feature automatically adjusts the image to ensure it appears rectangular, even if the projector is angled or not positioned directly in front of the screen. This is particularly helpful when the projector is set up on a table or mounted at an angle.





Electronic Focus:



Press the “  ” “  ” to adjust the Focus manually



Source Selection:





(Home page into multimedia)




Settings

Open the homepage, select settings.

This settings houses the following submenus:
WiFi Setting, Bluetooth Setting, Projection Setting, System Update, Other Settings and About.



Projection Distance and Size:



Note: The above mentioned image is for indicative purpose alone while in actual product, the distance to screen size may vary from the values mentioned above.