



HD Splitter
ZEB HS400M



User Manual

www.zebronics.com

Thank you for purchasing the “**ZEB-HS400M**” HD Splitter. Please read this user manual carefully before operation & save it for future reference.

Note:

- Avoid the use of this product at the high-temperature and high humidity environment.
- Avoid the self-disassembling of the product or it will result in voiding the Product's warranty.
- To know more about Terms and conditions for warranty policy, please visit

<https://zebronics.com/pages/warranty-policy>

Features:

- UHD 4K@ 30Hz
- 4 x HD Output
- 3D Support
- Aluminium Body
- Plug & Play
- Wide Compatibility
- Stable & Reliable Connection
- LED Indicators
- External Power Input

Specifications:

HDMI Source

Input Port : 1

HDMI Output Ports : 4

HDMI Version : 1.4

Housing Material : Aluminium

Maximum Cable

Length support : 10 Meters

Supported Video

Resolution : 4K@30Hz/ 3D/ 1080p@60Hz
/ 1080i / 720p / 576p / 576i /
480p / 480i

Material : Aluminium

Power consumption: DC 5V=2A

Product Dimension


(W x D x H) : 9.6 x 2.1 x 6.2 cm

Net Weight : 112g


Package Contents:

HD Splitter	: 1 U
Adaptor	: 1 U
QR Code Guide	: 1 U

Product Description:



- 1. Power Input Port
- 2. HDMI Input Port
- 3. HDMI Output Ports



Instructions:

Step 1: Insert the Provided DC 5V=2A adaptor to the DC port of the Splitter.

Step 2: Connect the HDMI input Source to the input port of the Splitter using a HDMI cable.

Step 3: Connect the Output to the Display device using a HDMI cable.