





≥ZEBRONICS



Caming Chair

User Manual

www.zebronics.com

Thank you for purchasing **ZEB-GC1400** premium gaming chair. Please read this user manual carefully before operation & save it for future reference.

To know more about Terms and conditions for warranty policy, please visit:

https://zebronics.com/pages/warranty-policy

Specification

Chair Cover Material : PVC+ mesh design

Frame Type : Metal Frame
Foam Density : 30 kg/m3
Legs Material : Nylon Base

Swivels angles : 360°

Adjustable Tilt Angle :90°-125°Backrest

Angle

Armrest type : Recliner Armrests

Caster Wheels size : 6 cm Gas Lift Class : Class 3


Product Dimension : 60 x 50 x 129 cm*


 $(W \times D \times H)$

Net Weight : 12.85kg

^{*}at maximum height.

Package Contents:






Installation Procedure:


Step 1: Setting up the Base

- Install the castor wheels to the Base.
- · Install the Gas lift to the Base.
- Now place the Plastic cover on the top of the gas lift.



Step 2: Connecting the Lift mechanism


- Align the Gas lift mechanism to the Armrest mounting points of the seat cushion.
- Place the included screws (M6 x 20mm) to the mount on the Gas Lift mechanism to the Seat Cushion.



• By using the provided Allen Key, Fasten the included screws into the mounting points of the Seat Cushion as shown in the reference image.


Step 3: Combining the Seat Cushion

- Align the seat cushion to the centre of the Gas cylinder.
- Join the Gas Lift Mechanism and the gas cylinder by placing the seat cushion on the top of the gas lift cylinder



Step 4: Joining the Armrests


- Align the Armrests (1.Left, 2.Right). to the respective mounting points which is present on the sides of the Seat cushion.
- Place the included screws (M8 x 25mm) to the mounting points of the Armrests.
- Using the included Allen key, Fasten the included screws to the mounting points of the seat cushion as displayed in the reference image.



Caution: - Avoid fastening The Screws too tight.

Step 5 : Linking the Included Backrest cushion

- Align the Backrest cushion to the respective mounting points of the Armrests (1.Left, 2.Right).
- Place the (M8 x 36mm) screws to the respective mounting points as shown in the image.




• Place the (M8 x 32mm) screws to the respective mounting points as shown in the image.

- Using the included Allen key, Fasten the included screws to the mounting points of the seat cushion as displayed in the reference image.
- Step1:- Place the Armrests fitments (1.Left, 2.Right) to the respective sides of the armrest.

Step 6: Placing the Headrest Placements

• Place the Headrest fitments (1.Left, 2.Right) to the respective sides of the armrest.




Step 7: Finishing Up




• Place the Included screw caps on the respective place of the gaming chair as shown in the reference image. That concludes the assembly process of the gaming chair.

General Instructions:









Adjust the range of the rocking style, give yourself a break from work





ISO 9001:2015 Certified Company www.zebronics.com