




Tower Speaker

ZEB **BT505RUCF**



User Manual

www.zebronics.com

Dear Customer,

Thank you for purchasing **“ZEB-BT505RUCF” Tower Speaker**. Please read the user manual carefully before usage & save it for future reference.

Note:

- Avoid the usage of this speaker at high temperature and in high humid environment.
- Avoid self-disassembly of the product as it results in the failure of Warranty.

Features:

Wireless BT/USB/FM/AUX

LED display

13.33cm Subwoofer

Wireless Mic

Remote control

Specification:

Output power (RMS) : 50W

Driver size

Subwoofer : 13.33cm

Full range : 7.62cm x 2

Impedance

Subwoofer : 8Ω

Full range : 4Ω

Frequency response : 40Hz- 20kHz

S/N Ratio : ≥75dB


File format support (USB) : MP3 / WMA

Line input	: 2ch RCA
Max. supported USB memory size	: 32GB
FM frequency scan range	: 87.5MHz-108MHz
BT Name	: Zebronics
BT version	: 5.1
Product dimension	: 160x260x620mm (W x D x H)
Net. weight	: 5.3kg

Control panel:



Remote:



General Instructions

BT Mode:

Switch the source to BT mode, scan for nearby BT devices on your device. Tap on "Zebronics" to connect.

USB Mode:

Insert the USB drive to the slot provided on the sub woofer. It will detect the USB and the audio files from drive will be played automatically.

FM radio:

Switch the source to FM mode. Press the SCAN button in the remote to scan for the available FM channels.

On the Subwoofer Long press Play/Pause button to scan for the available FM channels .Once the scanning is done, the first scanned channel will begin to play. The next/previous button in the subwoofer or Play/pause button in remote can be used to change the FM channels.

AUX-IN:

The device can be connected to an audio device using an RCA to 3.5mm cable. Connect the one end of the cable to the speaker and the other end to an audio source. The songs from the audio source can be heard through the speaker.

